* Product images are for illustrative purposes only and may different from the actual product.

-FUJIOH-

FUJIOH MARKETING MALAYSIA SDN BHD

23, Jalan Serendah 26/39, Section 26, 40400 Shah Alam, Selangor. Malaysia For enquiries, please contact



















PRODUCT CATALOGUE

AMBITIOUS

SMART

DYNAMIC

CREATIVE

TENDER

















-FUJIOH-

FR-ST2190 V

快適さと、 デザイン性の融合。
























SPECIFICATIONS

Dimension [mm]	Duct Diameter [mm]
W895 x D525 x H650-1000	Ф180
Power Consumption at 240V [W]	Sound Level [dB]
280	53
Oil Capturing Ratio [%]	Motor
84	AC Motor
Filter Type	Speed
Fan Guard with Oil Repellent Paint	3 Speeds & Boost mode
Hood Body	Lighting LED
Oil Repellent Paint	3.5W x 1
Rectifier Panel	Timer
SUS304 Stainless Steel	3 mins & Auto Fan Clean Function
RCP WM RM5,998 EM RM6,198	

INSTALLATIONS



FR-ST2190V (Ventilating) [mm]







XW/ Texture White



XBK/ Texture Black







High Air Flow

Enhanced high airflow & fume suction with new fan blower. 3 speed levels &

boost mode.




Fan Durability & Cleanliness

Super Kirei Coating eliminates the accumulation of oil and stain build-up on the fan surface, maintaining the fan clean for longer time.

Auto Fan Clean

Fan automatically switches to boost operation on the last 5 sec of timer function and blows off oil stains by centrifugal force.





-FUJIOH-

FR-SC2090 V/R

中も外も、 キレイがつづく。

























SPECIFICATIONS

Dimension [mm]	Duct Diameter [mm]
W900 x D544 x H490-1345	Ф150
Power Consumption at 240V [W]	Sound Level [dB]
180	52-56
Oil Capturing Ratio [%]	Speed
85 – 92	3 Speeds
Filter Type	Lighting
Aqua Slit Filter	LED 1.5W x 2
Hood Body	Rectifier Panel
Oil Repellent Paint	Oil Repellent Paint
FR-SC2090 R (With RUT90 Recycle Panel)	FR-SC2090 V (With GFO Duct Cover)
RCP WM RM5,998 EM RM6,198	RCP WM RM5,998 EM RM6,198
FR-SC2090 V (Without GFO Duct Cover)	FR-SC2011 V (With GFO Duct Cover)
RCP WM RM5,498 EM RM5,698	RCP WM RM7,998 EM RM8,198

INSTALLATIONS



FR-SC2090R (Recycling) [mm]



FR-SC2090/11V (Ventilating) [mm]

SV/ Silver Metallic



W/ White



RS/ Rich Silver





Super Kirei Fan

Advanced Capturing

Slanted Design and Rectifier Panel to improve suction power from all directions.


Fume

Advanced Oil Capturing

Up to 92% oil capturing ratio enhanced through Fujioh advanced oil separation process.







 * 3 years general warranty for motor & parts.

-FUJIOH-

FR-CL1890 V/R

オイルスマッシャーで、 油に強いキッチンへ。



































SPECIFICATIONS

Duct Diameter [mm]
Ф150
Sound Level [dB]
46 - 54
Motor
DC Motor
Speed
3 Speeds & Boost mode
with 24-hour mode
Lighting
LED 3.5W x 1
Timer
3/15/30 min & Cleaning Lamp Function

INSTALLATIONS



FR-CL1890R (Recycling) [mm]



FR-CL1890V (Ventilating) [mm]







W/ White



RS/ Rich Silver













 * 3 years general warranty for motor & parts.

FR-MS1990 V/R

機能性と、 美しさの共存。

Ultra Slim

Design



Glossy

Glass Panel

with Touch Control





Oil

Capturing Ratio

up to 89%







SUS 304

GBK/ Glass Black



Aqua Slit Filter can be easily washed with just water



Oil **Capturing Ratio** up to 83%

SPECIFICATIONS

大きな性能。

Easy Cleaning

Aqua Slit Filter can be easily washed with just water

Easy Wiping


Exterior surface with Oil Repellent Paint can be easily cleaned up

Oil Repellant Exterior Hood


Oil Repellant Oil Tray

INSTALLATIONS

Dimensions [mm] Duct Diameter [mm] W890 x D550 x H180 Φ150 Power Consumption at 240V [W] Sound Level [dB] 56 - 59 Oil Capturing Ratio [%] Speed 81 - 83 3 Speeds Filter Type Lighting LED 3.5W x 1 Aqua Slit Filter **Hood Body** Rectifier Panel & Oil Tray Oil Repellent Paint Oil Repellent Paint RCP WM RM3,298 EM RM3,498







Eco


LED Lighting

FR-FS1890V (Ventilating) [mm] *This model has "under cabinet type" only *Width of this model is 890 only.

SPECIFICATIONS

Dimension [mm]	Duct Diameter [mm
W900 x D460 x H120	Ф150
Power Consumption at 240V [W]	Sound Level [dB]
163 - 255	53 - 59
Oil Capturing Ratio [%]	Speed
86 - 89	3 Speeds
Filter Type	Lighting
Aqua Slit Filter	LED 1.5W x 2
Hood Body	Timer
SUS304 Stainless Steel	3/6/9 mins
RCP WM RM1,598 EM RM1,79	98

INSTALLATIONS



FR-MS1990R (Recycling) [mm] FR-MS1990V (Ventilating) [mm]

* 3 years general warranty for motor & parts. * 3 years general warranty for motor & parts.





Cleaning Aqua Slit Filter can be easily washed with just water



C+1 C+1 **FR-HT2190 V** FLBK/ Glass Black

シンプルで、 エレガント。



















Perfection of Look & Accessibility

Efficient Suction with Rectifier Panel & Metal Fan

Oil Capturing Ratio up to 88%


Easy Cleaning

Slot Filter coated with Oil Repellant Coating avoid oil stick on surface

SPECIFICATIONS

Dimension [mm] W895 x D505 x H590-1030	Duct Diameter [mm] Ф150
Power Consumption at 240V [W] 275	Sound Level [dB] 59
Oil Capturing Ratio [%]	Speed 3 Speeds
Filter Type Slot Filter with Oil Repellent Coating	Lighting 1.5W x 2
Hood Body Black Coated Paint	Timer 9 mins
RCP WM RM2,598 EM RM2,798	

INSTALLATIONS



FR-HT2190V (Ventilating) [mm]

楽しい料理の、 強い味方。





Easy

Operation

with Touch Control







Oil

Capturing Ratio

up to 84%







GBK/ Glass Black

SPECIFICATIONS


Simple

Modern Design

with Glossy Glass Panel

Dimension [mm]	Duct Diameter [mm]
W900 x D505 x H600-1030	Ф150
Power Consumption at 240V [W] 226	Sound Level [dB] 50 - 57
Oil Capturing Ratio [%]	Speed
84	3 Speeds
Filter Type	Lighting
Aqua Slit Filter	LED 1.5W x 2
Hood Body	Timer
SUS304 Stainless Steel	3/6/9 mins
RCP WM RM2,898 EM RM3,098	

INSTALLATIONS



FR-MT1990V (Ventilating) [mm]

 * 3 years general warranty for motor & parts.



Sleek Look with Curved Edges

Elegant

高い性能を、

タッチレスで実現。

Control Convenient to Use

COOKER HOOD
LIMITED WARRANTY

Gesture

High Fume Extraction with Low Noise Level


Easy Cleaning

with Seamless Design

SPECIFICATIONS

Dimension [mm] W896 x D494 x H672-95	7	Duct Diameter [mm] Φ190
Power Consumption a 318 (High), 374 (Boost)		Sound Level [dB] 50 (High), 53 (Boost)
Oil Capturing Ratio [%]	Speed 2 Speeds & Boost mode
Filter Type		Lighting
Fan Guard		1.5W x 2
Hood Body		Timer
SPCC with Black Paint		3 mins
RCP WM RM2,898	EM RM3,098	

INSTALLATIONS



FR-LT2290V (Ventilating) [mm]

FH-GS7020 SVGL

FH-GS70

ふたつの炎、

ダブルの幸せ



Gas Consumption [kW] (L) 4.5 (R) 5.0

Surface Type Toughened Black Glass

Dimension [mm] W780 x D460 x H85

Cut-out Dimension [mm] W650-720 x D350-410 x H85

RCP WM RM2,098 EM RM2,298

FH-GS7030 SVGL



Gas Consumption [kW] (L) 4.5 (R) 5.0 (C) 1.1

Surface Type Toughened Black Glass

Dimension [mm] W880 x D520 x H85

Cut-out Dimension [mm] W700-800 x D400-430 x H85

RCP WM RM2,598 EM RM2,798

ADVANCED FUNCTIONS




01/ **Double Inner Flame**



Aluminium Venturi



03/ **Heat Deflector**



FH-GS7020 SVGL [mm]

FH-GS7030 SVGL [mm]

 * 3 years general warranty for motor & parts. * Warranty terms and conditions apply. FH-GS55

LIMITED WARRANTY

FH-GS5530 SVGL

0.0.0

Gas Consumption [kW]

Toughened Black Glass

Cut-out Dimension [mm]

W705-830 x D405-470 x H97

RCP WM RM1,998 EM RM2,198

(L) 5.0 (R) 5.0 (C) 1.6

Surface Type

Dimension [mm]

W880 x D520 x H97

機能的なコンロで、

スムーズな調理を。

FH-GS5520 SVGL

Gas Consumption [kW]

Toughened Black Glass

Cut-out Dimension [mm]

W650-720 x D350-410 x H97

WM RM1,698 EM RM1,898

(L) 5.0 (R) 5.0

Surface Type

Dimension [mm]

W780 x D460 x H97











FH-GS20

あなたの料理を支える,

洗練されたパートナー。



Gas Consumption [kW]

Toughened Black Glass

Dimension [mm] W730 x D420 x H85

W650-655 x D350-355 x H85

FH-GS2030 SVGL

LIFETIME WARRANTY AGAINST TOUGHENED GLASS SHATTERED

GAS HOB LIMITED WARRANTY*



Gas Consumption [kW] (L) 5.0 (R) 5.0 (C) 1.0

Surface Type Toughened Black Glass

Dimension [mm] W780 x D450 x H85

Cut-out Dimension [mm] W685-690 x D405-410 x H85

RCP WM RM1,398 EM RM1,598

ADVANCED FUNCTIONS




Flame Failure Safety Device



Anti-rust (Aluminium) Venturi



Sectional Flame Control



FH-GS2020 SVGL [mm]

FH-GS2030 SVGL [mm]



(L) 5.0 (R) 5.0

Surface Type

Cut-out Dimension [mm]

RCP WM RM1,098 EM RM1,298

FH-GS60

使い勝手と、



デザイン性の両立。



FH-GS6020 SVSS



Gas Consumption [kW] (L) 4.0 (R) 4.0

Surface Type Stainless Steel (SUS304)

Dimension [mm] W760 x D460 x H50

Cut-out Dimension [mm] W650-720 x D345-420 x H50

RCP WM RM1,398 EM RM1,598



FH-GS6030 SVSS



(L) 4.0 (R) 4.0 (C) 1.75

Surface Type Stainless Steel (SUS304)

Dimension [mm] W860 x D510 x H50

Cut-out Dimension [mm] W685-820 x D385-470 x H50

RCP WM RM1,698 EM RM1,898


ADVANCED FUNCTIONS




2-in-1 Wok/Pan Support



Italy Made DEFENDI® Burner





FH-GS6020 SVSS [mm]

FH-GS6030 SVSS [mm]

* Warranty terms and conditions apply.

ØFEEE

Black Matt Enamel Coated

Elegant-Glossy Knobs &

Anti-rust (Aluminium)

FH-GS5530 SVGL [mm]

Venturi

FH-GS5520 SVGL [mm]

Battery Ignition

Pan Support

ADVANCED FUNCTIONS

FH-ID5120/25/30

美しさと、 機能性の融合













FH-ID5125



Heat Flow [W] (F) 1500 + (B) 2000

Surface Type SCHOTT CERAN ® Ceramic Glass

Zone Size [mm] Front 150/ Back 180

Dimension [mm] W288 x D520 x H60

Cut-out Dimension [mm] W268 x D500

RCP WM RM1,598 EM RM1,798

FH-ID5120



Heat Flow [W] (1500 – 2000) x 2 = max 3500

Surface Type SCHOTT CERAN ® Ceramic Glass

Zone Size [mm] left 190/ Right 190

Dimension [mm] W650 x D430 x H65

Cut-out Dimension [mm] W570 x D375

RCP WM RM1,798 EM RM1,998

FH-ID5130



Heat Flow [W] (S) 1200 + (M) 2300 + (B) 2300

Surface Type SCHOTT CERAN ® Ceramic Glass

Zone Size [mm] Small 160/ Medium 180/ Big 280

Dimension [mm] W590 x D520 x H60

SCHOTT CERAN®

Ceramic Glass

Bevelled Edge

Cut-out Dimension [mm] W560 x D490

RCP WM RM2,098 EM RM2,298



FH-ID5120 [mm]



FH-IC6020

2種類のコンロで、 美味しさ広がる。













FH-IC6020



Cooker Hob Type Induction 1 zone + Ceramic 1 zone

Heat Flow [W] (1400 - 1800) x 2 = max 3200

Surface Type SCHOTT CERAN ® Ceramic Glass

Zone Size [mm] Induction 180 / Ceramic 200

Dimension [mm] W700 x D430 x H82

Cut-out Dimension [mm] W670 x D400

RCP WM RM1,998 EM RM2,198

ADVANCED FUNCTIONS






Bevelled Edge



SCHOTT CERAN®



9 Power Setting



FH-IC6020 [mm]

FV-MV51

70L Capacity

8 Functions

FV-ML71

560(W) x 550(D) x 450(H)

562(W) x 570(D) x 590(H)

562(W) x 570(D) x 590(H)

30 Auto Cook Menus

72L Capacity

17 Functions

FV-EL61

32 Auto Cook Menus

45L Capacity

10 Functions

FV-EL63

PWP

PWP

PWP

RM1,988

RCP: RM2,298

RM4,888

RCP: RM5,298

RM5,088

RCP: RM5,598




560(W) x 500(D) x 380(H) 25L Capacity **Grill Function 8 Auto Cook Menus**

PWP RM1,688 RCP: RM1,898

Measurement above is as per product cut-out dimension (mm).

Prices above are applicable to WM only. Additional charge of RM200 is applicable to purchases in EM.



FH-ID5125 [mm]

FH-ID5130 [mm]

* Warranty terms and conditions apply.

FV-EL61/63

賢く優しいオーブンで、 安心調理と簡単お掃除。



































70L

FV-EL61



Capacity [L] 70

Rated Power Consumption [W]

Temperature Range 50-250°C

Display & Switch LED & 2 Knobs + Touch Control

Gross Dimension [mm] W595 x D575 x H595

Cut-out Dimension [mm] W562 x D570 x H590

RCP WM RM2,298 EM RM2,498

FV-EL63



Capacity [L] 72

Rated Power Consumption [W]

Temperature Range 30-250 °C

Display & Switch Color Display & Touch Control

Gross Dimension [mm] W595 x D566 x H596

Cut-out Dimension [mm] W562 x D570 x H590

RCP WM RM5,298 EM RM5,498

ADVANCED FUNCTIONS



Auto Cook Menus #



02/ Telescopic Rails #



Enamel Coated Cavity



Triple Layered Glass



17 Functions #

ACCESSORIES



INSTALLATIONS

FV-EL61 [mm]

Meat Probe#



FV-EL63 [mm]

Wire Rack

Enamel Baking Tray

Deep Enamel





Defrost

FUNCTIONS





Pizza#

Slow cooking#

Plate Warm#

Dough Proving#

Sabbath Mode#

Meat Probe#







B

Double Grill



Double Grill + Fan



ECO



Convection#



Available only in FV-EL63



LIMITED WARRANTY LED

キッチンに寄り添うデザイン

FV-MW51 充実した機能と、

SPECIFICATIONS



Multifunction Oven Steam + Bake Functions

Capacity [L] 45

Rated Power Consumption [W] 2200

Temperature Range [°C] 35-110 (Steam), 35-250 (Grill)

Display & Switch TFT Color Display + Touch Control

Gross Dimension [mm] W597 x D480 x H454

Cut-out Dimension [mm] W560 x D550 x H450

RCP WM RM5,598 EM RM5,798

ADVANCED FUNCTIONS



01/ 32 Auto Cook Menus



10 Cooking Functions



Triple Layered Glass Door



SUS 304 Cavity



05/ **Easy Water** Withdrawal

INSTALLATIONS

SUS 304


SUS304 Cavity

FV-ML71

スチームとベイク、

多彩な機能を1台に。

LIMITED WARRANTY



[Unit: mm]

ACCESSORIES



Drawings for illustrative purposes only.

SPECIFICATIONS



Microwave Oven & Installation Type Built in Microwave + Grill

Capacity [L] 25

Rated Power Consumption [W] 1450

Power Level (Microwave)

Gross Dimension [mm] W595 x D401 x H388

Cut-out Dimension [mm] W560 x D500 x H380

RCP WM RM1,898 EM RM2,098

ADVANCED FUNCTIONS



01/ **Grill Function**



02/ **Easy Cleaning**



Electric Door Opening




8 Auto Cook Menus



Touch Control Panel & LED Display

INSTALLATIONS



[Unit: mm]

Back Ventilation Gap Allowance

ACCESSORIES



Grill Rack

Suction Knob

Drawings for illustrative purposes only.

INDUCTION & CERAMIC HOB









FH-GS5520

650-720(W) x 350-410(D)

x 97(H)















FH-IC6020

COOKER HOOD

-FUJIOH-

FR-MS1990 V/R



FR-MT1990 V



FR-HT2190 V





FR-FS1890 V/R





















FH-GS2020



x 85(H)





705-830(W) x 405-470(D)

x 97(H)

RCP: RM3,596

RM3,788

RCP: RM4,496

RM4,188

RCP: RM4,896



FH-GS6020

650-720(W) x 345-420(D)

x 50(H)



685-820(W) x 385-470(D)

x 50(H)

FH-GS6030 FH-GS7020



FH-GS7030 700-800(W) x 400-430(D)

x 85(H)

FH-ID5130 FH-ID5120 570(W) x 375(D) x 65(H) 560(W) x 490(D) x 60(H)

670(W) x 400(D) x 82(H)

RM2,388	
RCP: RM2,696	

650-655(W) x 350-355(D)

x 85(H)



RM3,288

RM2,688 RCP: RM2,996

RCP: RM4,296

RM3,188

RCP: RM3,996

RM3,588

RCP: RM4,296

RM2,988 RCP: RM3,296

RM3,588 RCP: RM3,696

650-720(W) x 350-410(D)

x 85(H)

RM3,888 RCP: RM4,196

RM3,088 RCP: RM3,196

FH-ID5125

268(W) x 500(D) x 60(H)

INDUCTION HOB

RM3,288 RCP: RM3,396

RM3,488 RM3,388 RCP: RM3,696 RCP: RM3,596

RM3,488 RCP: RM3,996

RM3,088

RCP: RM3,696

RM3,488

RCP: RM3,996

RM6,288

RCP: RM7,096

RM6,288

RCP: RM7,096

RM8,788

RCP: RM9,596

RM3,788 RCP: RM4,296

RM3,388

RCP: RM3,996

RM3,788

RCP: RM4,296

RM3,888 RCP: RM4,596

RM3,488

RCP: RM4,296

RM3,888

RCP: RM4,596

RM4,188 RM3,588 RCP: RM4,896

RM3,888 RCP: RM4,596

RM3,488

RCP: RM4,296

RM3,888

RCP: RM4,596

RM6,588

RCP: RM7,696

RM6,588

RCP: RM7,696

RM4,488 RCP: RM4,996

RM3,988

RCP: RM4,696

RM4,488

RCP: RM4,996

RM7,088

RCP: RM8,096

RM7,088

RCP: RM8,096

RM4,788 RCP: RM5,496

RM4,488

RCP: RM5,196

RM4,788

RCP: RM5,496

RM4,188 RCP: RM4,496

RM3,888

RCP: RM4,196

RM4,188

RCP: RM4,496

RM4,288 RM4,488 RCP: RM4,696 RCP: RM4,996

RM3,788

RCP: RM4,396

RM4,288

RCP: RM4,696

RM4,788

RM6,988

RCP: RM7,796

RM6,988

RCP: RM7,796

RM4,388 RCP: RM4,896

RM3,988

RCP: RM4,596

RM4,388

RCP: RM4,896

RM4,888



FR-LT2290 V











RM6,488

RCP: RM7,396

RM6,488

RCP: RM7,396

RM4,388 RCP: RM4,996

RM6,588

RCP: RM7,696

RM6,588

RCP: RM7,696

RM4,688 RCP: RM5,296

RM6,888

RCP: RM7,996

RM6,888

RCP: RM7,996

RM4,088 RCP: RM4,696

RM6,288

RCP: RM7,396

RM6,288

RCP: RM7,396

RM4,388 RCP: RM4,996

RM4,988 RCP: RM5,396

RM5,288 RCP: RM5,896

RM7,388

RCP: RM8,596

RM7,388

RCP: RM8,596

RM4,688 RCP: RM4,896

RM6,888

RCP: RM7,596

RM6,888

RCP: RM7,596

RCP: RM5,096

RCP: RM5,396 RCP: RM5,296

RM4,088

RCP: RM4,696

RM4,488

RCP: RM4,996

RM4,988

RM7,188

RCP: RM8,096

RM7,188

RCP: RM8,096

RM7,088

RCP: RM7,996

RM7,088

RCP: RM7,996













RM8,988 RM9,088 RCP: RM9,896 RCP: RM10,196

RM9,388 RM8,788 RCP: RM10,496 RCP: RM9,896

RCP: RM10,196

RM9,088

RM9,588 RCP: RM10,596

RM9,888 RCP: RM11,096

RM9,288 RCP: RM10,096

RM9,388 RCP: RM10,296

RM9,588 RCP: RM10,596

RM9,488 RCP: RM10,496

Prices above are applicable to WM only. Additional charge of RM200 is applicable to purchases in EM.