

-FUJIOH-

Japanese Precision
**PERFECTED FOR
YOUR HOME**




www.fujioh.com/my

PRODUCT CATALOGUE
2026 VOL 1

FUJIOH TECHNOLOGY / RECTIFIER PANEL

FUJIOH cooker hood includes a specially designed rectifier panel. Engineered to reduce the air inlet opening, the rectifier panel allows adjustable suction from bottom to improve suction power from the upper, left and right side. The increased suction speed thus improves the efficiency of the fume capturing capacity.




Scan QR Code for
more information

Smoke Capture Tests and Advanced Design for Optimal Performance and Quality

FUJIOH conducts comprehensive smoke capturing tests on all models to ensure optimal suction performance.

Furthermore, we meticulously determine the ideal shape and positioning of rectifier panels through flow path analysis, whenever required.

This meticulous approach guarantees the maintenance of high-quality standards throughout our product line.



Detailed examination through flow path analysis


* FUJIOH Technologies are applied to selected products only.

FUJIOH TECHNOLOGY / FUNCTIONAL COATING

SUPER KIREI COATING



- SUPER KIREI COATING repels oil instantly, reducing adhesion on the fan surface.
- It uses centrifugal force to separate and collect oil on a tray.
- This dual-action approach extends the fan's lifespan and keeps it looking pristine.




OIL REPELLENT COATING




- OIL REPELLENT COATING effectively repels oil stains from sticking to the surface.
- It allows for easy removal of oil with a damp cloth.
- Saves time and effort in maintaining a clean hood after use.

HYDROPHILIC COATING



- HYDROPHILIC COATING works well with water, making it easy to remove oil when washed.
- Simplifies maintenance of greasy filters.
- Reduces the difficulty and effort in cleaning.



*FUJIOH Technologies are applied to selected products only.

-FUJIOH-

HOOD /

FR-FD2490 VP

選べるカラーで、
想いのままのキッチンに。

Vibrant colors, endless kitchen inspiration.

Enjoy colorful culinary experience with FUJIOH FR-FD2490. Available in six vibrant color variation, this model adds a splash of personality to complement any kitchen design and aesthetic. Enjoy powerful smoke capturing performance that ensures a refreshed environment, without compromising on energy efficiency. Upgrade your kitchen with the cooker hood, where vibrant colors and efficient performance come together seamlessly.



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with Oil Repellent Coating
Filter	Super Kirei Fan Guard
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode
Timer	3 mins
Oil Capturing Ratio [%]	86
Sound Level at 240V [dB]	42 - 56
Dimensions [mm]	W895 x D530 x H650 - 1000
Duct Diameter [mm]	Φ180
RCP	WM RM8,498 EM RM8,698

* 4 years general warranty for motor and part



Vibrant Series

XW / Texture White

MADE IN JAPAN
日本製



Cooker Hood



SM / Silver Metallic



RS / Rich Silver



XBK / Texture Black



TRE / Texture Red



TBE / Texture Blue

ADVANCED FUNCTIONS




BLDC Motor

Enhances powerful, stable suction with lower power consumption.



Super Kirei Fan & Fan Guard

Repels oil instantly upon contact, keeping the fan cleaner for a longer period.



Touch-free Quick Start

Quick start operation without the need to touch a switch.

-FUJIOH-

HOOD /

FR-CL1890 V/R

オイルスマッシャーで、
油に強いキッチンへ。



XW / Texture White

SV / Silver Metallic

XBK / Texture Black

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating / Recycling
Hood Body	SPCC with Oil Repellent Coating
Filter	Aqua Slit Spinning Disk
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode with 24-hr Operation Mode
Timer	3/15/30 min & Cleaning Lamp Function
Oil Capturing Ratio [%]	Ventilating : 91 Recycling : 94
Sound Level at 240V [dB]	Ventilating : 32 - 54 Recycling : 40 - 57
Dimensions [mm]	Ventilating : W900 x D600 x H550 - 960 Recycling : W900 x D600 x H750 - 800
Duct Diameter [mm]	Φ150
RCP	WM RM8,898 EM RM9,098

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-SC2090 V/R



Cooker Hood

中も外も、
キレイがつづく。



Super
Kirei Fan



Aqua
Slit Filter



Oil
Repellent
Exterior
Hood



Rectifier
Panel



Color
Variation



Texture
Coating
(except
SM & RS)



RS / Rich Silver

MADE IN
JAPAN
日本製



Scan QR Code to
watch the product
video.



XW / Texture White



XBK / Texture Black



SM / Silver Metallic

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating / Recycling
Hood Body	SPCC with Oil Repellent Coating
Filter	Aqua Slit Filter with Hydrophilic Coating
Motor	AC Motor
Speed	3 Speeds
Timer	3 mins
Oil Capturing Ratio [%]	Ventilating : 85 Recycling : 92
Sound Level at 240V [dB]	Ventilating : 47 - 56 Recycling : 48 - 52
Dimensions [mm]	Ventilating : W900 × D544 × H1045 - 1345 Recycling : W900 × D544 × H490
Duct Diameter [mm]	Φ150
FR-SC2090 R (With RUT90 Recycle Panel)	RCP WM RM6,498 EM RM6,698
FR-SC2090 V (Without GFO Duct Cover)	RCP WM RM5,998 EM RM6,198
FR-SC2090 V (With GFO Duct Cover)	RCP WM RM6,498 EM RM6,698
FR-SC2011 V (With GFO Duct Cover)	RCP WM RM8,298 EM RM8,498

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-FS2290 VP/RP

シンプルさの中に、
少しの個性を。



Super Kirei Fan



Aqua Slit Filter (VP Type)



Double Aqua Slit Filter (RP Type)



Oil Repellent Exterior Hood



Texture Coating (except SM & RS)



Rectifier Panel



Color Variation



XBK / Texture Black

MADE IN
JAPAN
日本製



Scan QR Code to watch the product video.



XW / Texture White

SM / Silver Metallic

RS / Rich Silver

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating / Recycling
Hood Body	SPCC with Oil Repellent Coating
Filter	Aqua Slit Filter with Hydrophilic Coating
Motor	AC Motor
Speed	3 Speeds
Timer	-
Oil Capturing Ratio [%]	Ventilating : 88 Recycling : 92
Sound Level at 240V [dB]	Ventilating : 41 - 52 Recycling : 47 - 53
Dimensions [mm]	W890 x D550 x H150
Duct Diameter [mm]	Φ150
RCP	WM RM3,998 EM RM4,198

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-MS2390 V/R



機能性と、
美しさの共存。



Aqua Slit Filter



Gesture Control



Color Variation



Rectifier Panel



Timer



SUS 304

SUS304 Body (SS Model)



BK / Black



Scan QR Code to watch the product video.



W / White



SS / Stainless Steel

ADVANCED FUNCTIONS

Aqua Slit Filter

Filter with Hydrophilic Coating can be washed easily by using only water.

Gesture Control

Allow operation without touching with wet hands.

SPECIFICATIONS

Type	Ventilating / Recycling
Hood Body	SPCC with Coated Paint / Stainless Steel (SUS304)
Filter	Aqua Slit Filter with Hydrophilic Coating
Motor	AC Motor
Speed	3 Speeds
Timer	3 mins
Oil Capturing Ratio [%]	Ventilating : 86 Recycling : 89
Sound Level at 240V [dB]	Ventilating : 47 - 59 Recycling : 40 - 56
Dimensions [mm]	W900 x D460 x H120
Duct Diameter [mm]	Φ150
RCP	WM RM1,898 EM RM2,098

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-SW2590 V

賢く快適、
自動センサー換気。



AirSense Series

BK / Black



GR / Gray

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with Oil Repellent Paint
Filter	Oil Repellent Fan Guard
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode
Timer	3 mins
Oil Capturing Ratio [%]	86
Sound Level at 240V [dB]	40 - 57
Dimensions [mm]	W896 x D355 x H1000 - 1300
Duct Diameter [mm]	Φ180
RCP	WM RM4,598 EM RM4,798

¹ Applied to the SmartSync model only.

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-LW2490 V



Cooker Hood

ワイドにカバーする、
スリムなフード。



AeroSlim Series

BK / Black



Scan QR Code to
watch the product
video.

GR / Gray

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with Coated Paint
Filter	-
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode
Timer	3 mins
Static Pressure [pa]	900
Oil Capturing Ratio [%]	86
Sound Level at 240V [dB]	41 - 52
Dimensions [mm]	W895 x D350 X H1133 - 1363
Duct Diameter [mm]	Φ180
RCP WM RM4,398 EM RM4,598	

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-SD2690 V

魅せるデザイン。
清潔を極める設計。



ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with coated paint
Filter	Filter Magnet Detach with Oil Repellent Paint
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode
Timer	3 mins
Oil Capturing Ratio [%]	85
Sound Level at 240V [dB]	34 - 59
Dimensions [mm]	W900 x D347 x H760 - 1180
Duct Diameter [mm]	Φ190
RCP	WM RM3,798 EM RM3,998

* 4 years general warranty for motor and parts.

-FUJIOH-

HOOD /

FR-LT2490 V



Cooker Hood

高い性能を、
タッチレスで実現。




BK / Black



GR / Gray

ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with Coated Paint
Filter	Fan Guard
Motor	BLDC Motor
Speed	3 Speeds & Boost Mode
Timer	3 mins
Oil Capturing Ratio [%]	86
Sound Level at 240V [dB]	41 - 52
Dimensions [mm]	W896 x D494 x H620 - 900
Duct Diameter [mm]	Φ190
RCP	WM RM3,798 EM RM3,998

* 4 years general warranty for motor and parts.

-FUJIOH-


HOOD /

FR-HT2190 V

シンプルで、
エレガント。



ADVANCED FUNCTIONS



SPECIFICATIONS

Type	Ventilating
Hood Body	SPCC with Coated Paint
Filter	Oil Repellent Filter
Motor	AC Motor
Speed	3 Speeds
Timer	9 mins
Oil Capturing Ratio [%]	88
Sound Level at 240V [dB]	48 - 59
Dimensions [mm]	W895 x D505 x H590 - 1030
Duct Diameter [mm]	Φ150
RCP WM RM2,898 EM RM3,098	

* 4 years general warranty for motor and parts.

-FUJIOH-

GAS HOB /

FH-GS71

簡単操作で、
プロの様な調理を。



Gas Hob



ADVANCED FUNCTIONS



01 / SmartSync¹ System

Hood turns on automatically for instant smoke removal.



02 / 9-Step Flame Control

Adjust heat easily with defined flame settings.



03 / 180-Min Smart Timer

Automatically switches off the hob at the set time.

SPECIFICATIONS

FH-GS7120 FGBK



Surface Type
Matt Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.5 (R) 5.5

Timer [min]
180

Dimensions [mm]
W780 x D460 x H150

Cut-Out Dimensions [mm]
W650-730 x D350-410 x H80

RCP
WM RM1,998 EM RM2,198

FH-GS7130 FGBK



Surface Type
Matt Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.5 (R) 5.5 (C) 1.1

Timer [min]
180

Dimensions [mm]
W880 x D520 x H145

Cut-Out Dimensions [mm]
W690-830 x D390-470 x H75

RCP
WM RM2,398 EM RM2,598

¹ Applied to the SmartSync model only.

* 2 years general warranty.

-FUJIOH-

GAS HOB /

FH-GS30

火力調整を、
滑らかに自在に。



Sectional
Flame
Control



Toughened
Glass



Brass
Burner
Cap



Instant
Ignition



Aluminium
Alloy
Venturi



Knob
Shield



Flexible
Installation



Flame
Failure
Safety
Device



Mini Pan
Support



Scan QR Code to
watch the product
video.

FLAME CONTROL:



ADVANCED FUNCTIONS



01 / Flexible Size

Adaptable cut-out for seamless integration.



02 / Removable Burner

Simplify cleaning and make maintenance easier.



03 / Knob Shields

Minimize thermal heat on plate and knobs.

SPECIFICATIONS

FH-GS3020 SVGL



Surface Type
Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.0 (R) 5.0

Dimensions [mm]
W780 x D460 x H160

Cut-Out Dimensions [mm]
W650 - 730 x D350 - 410 x H82

RCP
WM RM1,598 EM RM1,798

FH-GS3028 SVGL



Surface Type
Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.0 (R) 5.0

Dimensions [mm]
W880 x D520 x H160

Cut-Out Dimensions [mm]
W690 - 830 x D390 - 470 x H82

RCP
WM RM1,698 EM RM1,898

FH-GS3030 SVGL



Surface Type
Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.0 (R) 5.0 (C) 2.0

Dimensions [mm]
W880 x D520 x H160

Cut-Out Dimensions [mm]
W690 - 830 x D390 - 470 x H82

RCP
WM RM1,898 EM RM2,098

* 2 years general warranty.

-FUJIOH-

GAS HOB /

FH-GS21

あなたの料理を支える、
洗練されたパートナー。



Flame Failure Safety Device



Aluminium Alloy Venturi



Brass Burner Cap



Enamelled Pan Support



Toughened Glass



Flexible Installation



Sectional Flame Control



Mini Pan Support (GS2120)




Gas Hob



FLAME CONTROL:



ADVANCED FUNCTIONS



01 / Flexible Size

Adaptable cut-out for seamless integration.



02 / Removable Burner

Simplify cleaning and make maintenance easier.



03 / Flame Failure Safety Device

Automatically shuts off gas when flame extinguishes for safety.

SPECIFICATIONS

FH-GS2120 GLBK



Surface Type
Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.0 (R) 5.0

Dimensions [mm]
W780 x D460 x H155

Cut-Out Dimensions [mm]
W650 - 700 x D350 - 400 x H80

RCP
WM RM1,098 EM RM1,298

FH-GS2130 GLBK



Surface Type
Black Glass (Toughened Glass)

Power Load [kW]
(L) 5.0 (R) 5.0 (C) 2.0

Dimensions [mm]
W800 x D460 x H155

Cut-Out Dimensions [mm]
W680 - 740 x D380 - 410 x H80

RCP
WM RM1,398 EM RM1,598

* 2 years general warranty.

-FUJIOH-

ELECTRIC HOB /

FH-IC70

色とりどりの料理を、
パワフルな加熱で。



Scan QR Code to
watch the product
video.

ADVANCED FUNCTIONS



01 / SCHOTT CERAN® Ceramic Glass

Sleek and durable glass
surface.



02 / 2-in-1 Hybrid Hob

Blend induction speed and
ceramic versatility in one.



03 / Dual Heating Zone

Flexible ceramic hob with
adjustable heating zones.

SPECIFICATIONS

FH-IC7020



Type
Induction x 1 / Dual Zone Ceramic x 1

Rated Power Consumption [w]
(L) 2300 + (R) 2200
Total = max 4500

Surface Type
SCHOTT CERAN® Ceramic Glass

Zone Size [mm]
(L) 200 / (R) 138 - 230

Timer [min] 99

Ampere required [A] (Based on 240V)
20

Dimensions [mm] W730 x D430 x H64

Cut-Out Dimensions [mm]
W680 x D380

RCP WM RM2,198 EM RM2,398

FH-IC7030



Type
Induction x 2 / Dual Zone Ceramic x 1

Rated Power Consumption [w]
(L) 2300 + (C) 2000 = max 3500
(R) 2000
Total = max 5500

Surface Type
SCHOTT CERAN® Ceramic Glass

Zone Size [mm]
(L) 180 / (C) 180 / (R) 120 - 200

Timer [min] 99

Ampere required [A] (Based on 240V)
25

Dimensions [mm] W730 x D430 x H76

Cut-Out Dimensions [mm]
W695 x D410

RCP WM RM2,498 EM RM2,698



* 2 years general warranty.

-FUJIOH-

ELECTRIC HOB /

FH-ID5120/25/5230

美しさと、
機能性の融合。



Electric Hob

SPECIFICATIONS

FH-ID5125



Type Induction Hob x 2

Rated Power Consumption [w]
(F) 1500 + (B) 2000
Total = max 3500

Surface Type
SCHOTT CERAN® Ceramic Glass

Zone Size [mm] (F) 150 / (B) 180

Timer [min] 99

Ampere required [A] (Based on 240V) 15

Dimensions [mm]
W288 x D520 x H60

Cut-Out Dimensions [mm]
W268 x D500

RCP WM RM1,598 EM RM1,798

FH-ID5120



Type Induction Hob x 2

Rated Power Consumption [w]
(1500 - 2000) x 2
Total = max 3500

Surface Type
SCHOTT CERAN® Ceramic Glass

Zone Size [mm] (L) 190 / (R) 190

Timer [min] 180

Ampere required [A] (Based on 240V) 15

Dimensions [mm]
W650 x D430 x H65

Cut-Out Dimensions [mm]
W570 x D375

RCP WM RM1,798 EM RM1,998

FH-ID5230



Type Induction Hob x 3

Rated Power Consumption [w]
(F) 1500 + (B) 2600 + (R) 3000
Total = max 6600

Surface Type
SCHOTT CERAN® Ceramic Glass

Zone Size [mm] (F) 160 / (B) 210 / (R) 290

Timer [min] 99

Ampere required [A] (Based on 240V) 30

Dimensions [mm]
W590 x D520 x H62

Cut-Out Dimensions [mm]
W560 x D490


RCP WM RM2,198 EM RM2,398

* 2 years general warranty.

-FUJIOH-

ALL-IN-ONE OVEN / FV-AL81

一台で広がる、
多彩な調理。



Micro-Steam-Bake InfiniOven

COOKING FUNCTIONS



STEAM

- Low Temp Steam
- Mid Temp Steam
- Hi Temp Steam
- Stew



BAKE

- Low Humidity Steam + Bake
- Mid Humidity Steam + Bake
- Hi Humidity Steam + Bake
- Top + Bottom
- Dual Temp Top + Bottom
- Top + Bottom + Fan
- Convection
- Convection + Bottom
- Double Grill
- Dehydrate



FRY

- Air Fry
- Steam Fry



MICROWAVE

- Microwave
- Microwave + Bake
- Microwave + Steam

ADVANCED FUNCTIONS



01 / Micro-Steam-Bake InfiniOven

Bake, fry, grill, steam, stew, dehydrate and microwave - 28-in-1 versatile oven.



02 / Fast Yet Powerful Microwave

Speed up your cooking without compromising on taste or texture.



03 / CeramicGuard Cavity

Wipe away messes in seconds.

SPECIFICATIONS

FV-AL 81



Type All-in-one Oven Bake, Steam, Stew, Fry, Grill, Dehydrate and Microwave	Layers of Glass 3 (2 layers of Low-E glass)
Capacity [L] 46	Cavity Material Blue Ceramic Coating
No. of Programs 28	Ampere required [A] (Based on 240V) 15
Rated Power Consumption [w] 3200	Gross Dimensions [mm] W595 x D555 x H455
Temperature Range [°C] 30 - 250	Cut-Out Dimensions [mm] W600 x D540 x H450

RCP WM RM7,498 EM RM7,698

* 2 years general warranty.

-FUJIOH-

COMBI OVEN /

FV-ML75

パワフルな熱で、
豊かな食卓を。



COOKING FUNCTIONS



STEAM

- Low Temp Steam
- Mid Temp Steam
- Hi Temp Steam



BAKE

- Low Humidity Steam + Bake
- Mid Humidity Steam + Bake
- Hi Humidity Steam + Bake
- Top + Bottom
- Dual Temp Top + Bottom
- Top + Bottom + Fan
- Convection + Bottom
- Double Grill
- Convection



FRY

- Air Fry
- Steam Fry




STEW

CookXpert Combi Steam Oven



Oven

ADVANCED FUNCTIONS



01 / Dual Convection Fan

Enhance thermal efficiency for even cooking.



02 / Dual Temperature Control

Separate settings for top and bottom heating elements for precise cooking control.



03 / Healthy Fry

Air fry and steam fry options for healthier cooking without oil.

SPECIFICATIONS

FV-ML75



Type Combi Oven Steam, Bake, Fry, Grill and Stew	Layers of Glass 3 (2 layers of Low-E glass)
Capacity [L] 73	Cavity Material Blue Ceramic Coating
No. of Programs 24	Ampere required [A] (Based on 240V) 15
Rated Power Consumption [w] 3200	Gross Dimensions [mm] W595 x D550 x H595
Temperature Range [°C] 30 - 250	Cut-Out Dimensions [mm] W560 x D555 x H590
RCP WM RM6,998 EM RM7,198	


* 2 years general warranty.

-FUJIOH-

OVEN /

FV-EL62

多才なオーブンを味方に、
暮らしを楽しみ。



ADVANCED FUNCTIONS



01 / Pyrolytic Self-Clean

Burns off residues at 445°C for easy wipe-cleaning.



02 / Cool-Touch 4 Layered Glass

Lessen heat on the glass door.



03 / Heat Shield Coating

Preserves oven's internals from high temperatures.

SPECIFICATIONS

FV-EL62



Type Built-In Oven	Layers of Glass 4
Capacity [L] 72	Cavity Material Heat Shield Coating
No. of Programs 14	Ampere required [A] (Based on 240V) 15
Rated Power Consumption [w] 3200	Gross Dimensions [mm] W595 x D565 x H595
Temperature Range [°C] 30 - 250	Cut-Out Dimensions [mm] W560 x D550 x H590
RCP WM RM4,498 EM RM4,698	

* 2 years general warranty.

-FUJIOH-

OVEN /

FV-EL61

賢く優しいオーブンで、
安心調理と簡単お掃除。



Child
Safety
Lock



Triple
Layered
Glass



Enamel
Coating



Seamless
Cavity



70L
Cavity
Capacity



Accessories



Scan QR Code to
watch the product
video.



Oven

ADVANCED FUNCTIONS



01 / Enamel Coated Cavity

Durable and easy for cleaning
and maintenance.



02 / Triple Layered Glass

Lessen heat on the glass door.



03 / Child Safety Lock

Prevents children from
accidentally operating
the oven.

SPECIFICATIONS

FV-EL61



Type Built-In Oven	Layers of Glass 3
Capacity [L] 70	Cavity Material Enamel Coating
No. of Programs 8	Ampere required [A] (Based on 240V) 15
Rated Power Consumption [w] 3000	Gross Dimensions [mm] W595 x D575 x H595
Temperature Range [°C] 50-250	Cut-Out Dimensions [mm] W562 x D570 x H590
RCP WM RM2,498 EM RM2,698	

* 2 years general warranty.

-FUJIOH-

MICROWAVE OVEN /

FV-MW51

充実した機能と、
キッチンに寄り添うデザイン。



Grill



Electric
Door
Opening



Auto
Cooking



Seamless
Cavity



Child
Safety
Lock



Accessories



25L
Cavity
Capacity



ADVANCED FUNCTIONS



01 / Grill Function

Explore diverse grilled cuisine.



02 / 8 Auto Cook Menu

Ideal time & temperature for optimum food quality.



03 / Electric Door Opening

Swift door opening with one touch.

SPECIFICATIONS

FV-MW51



Type	Microwave Oven Microwave + Grill	Layers of Glass	2
Capacity [L]	25	Cavity Material	Stainless Steel (SUS304)
Power Level	5	Ampere required [A] (Based on 240V)	13
Rated Power Consumption [w]	1450	Gross Dimensions [mm]	W595 x D401 x H388
Temperature Range [°C]	-	Cut-Out Dimensions [mm]	W560 x D500 x H380
RCP WM RM1,998 EM RM2,198			

* 2 years general warranty.

-FUJIOH-

TABLETOP OVEN /

FV-AL10

コンパクトでも妥協なし、
本格オーブン機能。



Oven

ADVANCED FUNCTIONS



01 / Versatile Cooking Function

Covers every cooking style from bake, air fry, steam, microwave and ferment.



02 / Dual Convection Fan

Enhanced thermal efficiency for even performance.



03 / Hybrid Microwave Function

Integrates microwave with multiple cooking modes for faster, versatile result.

SPECIFICATIONS

FV-AL1032 W



FV-AL1032 GR



Type
All-In-One Oven
Bake, Steam, Grill, Air Fry
and Microwave

Capacity [L]
32

No of Programs
13

Rated Power Consumption [w]
1900

Temperature Range [C]
35 - 230

RCP WM RM3,998 EM RM4,198

Layers of Glass
3 (with one layer Low-E Glass)

Cavity Material
Blue Enamel Coating

Ampere required [A] (Based on 240V)
13

Gross Dimensions [mm]
W487 X D538 X H384

* 2 years general warranty.

-FUJIOH-


DISHWASHER /

FZ-DW70

手洗いの悩みに、
さようなら。



PROGRAMS




ADVANCED FUNCTIONS



3D Full Dimensional Cleaning

3+1 spray arms for powerful 360° cleaning coverage.



Hygiene+ Cleaning

Advanced sterilization with high temperature, negative ions, and UV care.



168-hr Germ Free Storage

Keeps dishes clean and dry for up to 7 days.



FGBK / Frosted Glass Black


SPECIFICATIONS

FZ-DW70 FGBK



Type Built-In Dishwasher	Cavity Material SUS304 Stainless Steel (Bottom + Back Door)
Capacity [Place Setting] 16	Washing System 3 Spray Arms + 1 Auxiliary Spray
No of Programs 6 Core Functions + 4 Additional Functions	Drying Method PTC Drying + Residual Heat Drying + Automatic Door Opening / Closing
Rated Power Consumption [w] 1800	Ampere required [A] (Based on 240V) 13
Gross Dimension [mm] FZ-DW70 (Without Glass Panel) W598 x H775 x D550 FZ-DW70 FGBK (With Glass Panel) W598 x H775 x D570	Cut-Out Dimensions [mm] FZ-DW70 (Without Glass Panel) W600 x H750 x D575 FZ-DW70 FGBK (With Glass Panel) W600 x H750 x D575
FZ-DW70 (Without Glass Panel) RCP WM RM7,298 EM RM7,498	
FZ-DW70 FGBK (With Glass Panel) RCP WM RM7,498 EM RM7,698	

TABLEWARE PLACEMENT



Dishwasher

-FUJIOH-

GAS HOB



FH-GS2120 GLBK
Cut-Out Dimension
650-700(W) x 350-400(D)



FH-GS2130 GLBK
Cut-Out Dimension
680-740(W) x 380-410(D)



FH-GS3020 SVGL
Cut-Out Dimension
650 - 730(W) x D350-410(D)



FH-GS3028 SVGL
Cut-Out Dimension
690-830(W) x 390-470(D)



FH-GS3030 SVGL
Cut-Out Dimension
690-830(W) x D390-470(D)

COOKER HOOD

FR-MS2390 V/R



RM2,688
RCP: RM2,996

RM2,988
RCP: RM3,296

RM3,188
RCP: RM3,496

RM3,288
RCP: RM3,596

RM3,488
RCP: RM3,796

FR-HT2190 V



RM3,388
RCP: RM3,996

RM3,688
RCP: RM4,296

RM3,688
RCP: RM4,496

RM3,788
RCP: RM4,596

RM3,988
RCP: RM4,796

FR-LT2490 V



RM4,188
RCP: RM4,896

RM4,488
RCP: RM5,196

RM4,588
RCP: RM5,396

RM4,688
RCP: RM5,496

RM4,888
RCP: RM5,696

FR-SD2690 V



RM4,288
RCP: RM4,896

RM4,588
RCP: RM5,196

RM4,688
RCP: RM5,396

RM4,788
RCP: RM5,496

RM4,988
RCP: RM5,696

FR-LW2490 V



RM4,688
RCP: RM5,496

RM4,988
RCP: RM5,796

RM5,088
RCP: RM5,996

RM5,188
RCP: RM6,096

RM5,388
RCP: RM6,296

FR-SW2590 V



RM5,088
RCP: RM5,696

RM5,388
RCP: RM5,996

RM5,488
RCP: RM6,196

RM5,588
RCP: RM6,296

RM5,788
RCP: RM6,496

FR-FS2290 VP/RP



RM4,488
RCP: RM5,096

RM4,788
RCP: RM5,396

RM4,888
RCP: RM5,596

RM4,988
RCP: RM5,696

RM5,188
RCP: RM5,896

FR-SC2090 V/R

With GFO Duct Cover/ RUT90 Recycle Panel



RM6,788
RCP: RM7,596

RM6,988
RCP: RM7,896

RM6,988
RCP: RM8,096

RM7,088
RCP: RM8,196

RM7,288
RCP: RM8,396

FR-FD2490 VP



RM8,788
RCP: RM9,596

RM8,988
RCP: RM9,896

RM8,988
RCP: RM10,096

RM9,088
RCP: RM10,196

RM9,288
RCP: RM10,396

FR-CL1890 V/R



RM9,188
RCP: RM9,996

RM9,388
RCP: RM10,296

RM9,388
RCP: RM10,496

RM9,488
RCP: RM10,596

RM9,688
RCP: RM10,796

ELECTRIC HOB



FH-GS7120 FGBK

Cut-Out Dimension
650-730(W) x 350-410(D)



FH-GS7130 FGBK

Cut-Out Dimension
690-830(W) x 390-470(D)



FH-ID5125

Cut-Out Dimension
268(W) x 500(D)



FH-ID5120

Cut-Out Dimension
570(W) x 375(D)



FH-ID5230

Cut-Out Dimension
560(W) x 490(D)



FH-IC7020

Cut-Out Dimension
680(W) x 380(D)



FH-IC7030

Cut-Out Dimension
695(W) x 410(D)

RM3,588

RCP: RM3,896

RM3,888

RCP: RM4,296

RM3,388

RCP: RM3,496

RM3,588

RCP: RM3,696

RM3,888

RCP: RM4,096

RM3,888

RCP: RM4,096

RM4,188

RCP: RM4,396

RM3,988

RCP: RM4,896

RM4,288

RCP: RM5,296

RM4,088

RCP: RM4,496

RM4,088

RCP: RM4,696

RM4,488

RCP: RM5,096

RM4,488

RCP: RM5,096

RM4,788

RCP: RM5,396

RM4,888

RCP: RM5,796

RM5,188

RCP: RM6,196

RM4,988

RCP: RM5,396

RM5,088

RCP: RM5,596

RM5,388

RCP: RM5,996

RM5,388

RCP: RM5,996

RM5,688

RCP: RM6,296

RM4,988

RCP: RM5,796

RM5,288

RCP: RM6,196

RM5,088

RCP: RM5,396

RM5,188

RCP: RM5,596

RM5,488

RCP: RM5,996

RM5,488

RCP: RM5,996

RM5,788

RCP: RM6,296

RM5,388

RCP: RM6,396

RM5,688

RCP: RM6,796

RM5,488

RCP: RM5,996

RM5,588

RCP: RM6,196

RM5,888

RCP: RM6,596

RM5,888

RCP: RM6,596

RM6,188

RCP: RM6,896

RM5,788

RCP: RM6,596

RM6,088

RCP: RM6,996

RM5,888

RCP: RM6,196

RM5,988

RCP: RM6,396

RM6,288

RCP: RM6,796

RM6,288

RCP: RM6,796

RM6,588

RCP: RM7,096

RM5,188

RCP: RM5,996

RM5,488

RCP: RM6,396

RM5,288

RCP: RM5,596

RM5,388

RCP: RM5,796

RM5,688

RCP: RM6,196

RM5,688

RCP: RM6,196

RM5,988

RCP: RM6,496

RM7,288

RCP: RM8,496

RM7,588

RCP: RM8,896

RM7,388

RCP: RM8,096

RM7,488

RCP: RM8,296

RM7,788

RCP: RM8,696

RM7,788

RCP: RM8,696

RM8,088

RCP: RM8,996

RM9,088

RCP: RM10,496

RM9,388

RCP: RM10,896

RM9,288

RCP: RM10,096

RM9,388

RCP: RM10,296

RM9,588

RCP: RM10,696

RM9,688

RCP: RM10,696

RM9,988

RCP: RM10,996

RM9,588

RCP: RM10,896

RM9,888

RCP: RM11,296

RM9,688

RCP: RM10,496

RM9,788

RCP: RM10,696

RM10,088

RCP: RM11,096

RM10,088

RCP: RM11,096


RM10,388

RCP: RM11,396


Bundle

-FUJIOH-


HOOD /
FR-FD2490 VP




HOOD /
FR-CL1890 V




HOOD /
FR-CL1890 R




HOOD /
FR-SC2011 V




HOOD /
FR-SC2090 V




HOOD /
FR-SC2090 R




HOOD /
FR-FS2290 VP



HOOD /
FR-FS2290 RP




HOOD /
FR-MS2390 V




* The above measurements are calculated in units of "mm".


**HOOD /
FR-MS2390 R**




**HOOD /
FR-SW2590**




**HOOD /
FR-LW2490 V**




**HOOD /
FR-SD2690**



**HOOD /
FR-LT2490 V**




**HOOD /
FR-HT2190 V**




* The above measurements are calculated in units of "mm".

-FUJIOH-


**GAS HOB /
FH-GS7120 FGBK**




**GAS HOB /
FH-GS7130 FGBK**




**GAS HOB /
FH-GS3020 SVGL**




**GAS HOB /
FH-GS3028 SVGL**




**GAS HOB /
FH-GS3030 SVGL**



**GAS HOB /
FH-GS2120 GLBK**




**GAS HOB /
FH-GS2130 GLBK**




* The above measurements are calculated in units of "mm".

-FUJIOH-


ELECTRIC HOB /
FH-IC7020




ELECTRIC HOB /
FH-IC7030




ELECTRIC HOB /
FH-ID5125




ELECTRIC HOB /
FH-ID5120





ELECTRIC HOB /
FH-ID5230




ALL-IN-ONE OVEN /
FV-AL81



COMBI OVEN /
FV-ML75



Air vents are used to prevent the oven from becoming stuffy, allowing for proper ventilation. Additionally, a small piece of mesh can be added to prevent cockroaches and other pests from entering.




* The above measurements are calculated in units of "mm".


* Please ensure electric hob is well ventilated and the air inlet and outlet are not blocked.

-FUJIOH-


OVEN /
FV-EL62





OVEN /
FV-EL61





MICROWAVE OVEN /
FV-MW51



Back Ventilation Gap Allowance




TABLETOP OVEN /
FV-AL10





* The above measurements are calculated in units of "mm".

-FUJIOH-

DISHWASHER /
FZ-DW70



DISHWASHER /
FZ-DW70 FGBK



* The above measurements are calculated in units of "mm".

* Product images are for illustrative purposes only and may differ from the actual product.

-FUJIOH-

FUJIOH MARKETING MALAYSIA SDN BHD

23, Jalan Serendah 26/39, Section 26,
40400 Shah Alam, Selangor, Malaysia.

For enquiries, please contact

✉ enquiry@fujioh.my

☎ 03- 5103 6826

www.fujioh.com/my



www.global.fujioh.com/



www.fujioh.com/my



Fujioh Malaysia



fujiohmy